

Question

1 2 3 4 5 6 7 8 9 10

1. Question Details

SerCP9 3.P.028. [1631975]

From the window of a building, a ball is tossed from a height y_0 above the ground with an initial velocity of 8.80 m/s and angle of 21.0° below the horizontal. It strikes the ground 4.00 s later.

(a) If the base of the building is taken to be the origin of the coordinates, with upward the positive y -direction, what are the initial coordinates of the ball? (Use the following as necessary: y_0 .)

$$x_i =$$

$$y_i =$$

(b) With the positive x -direction chosen to be out the window, find the x - and y -components of the initial velocity.

$$v_{i,x} = \text{[] m/s}$$

$$v_{i,y} = \text{[] m/s}$$

(c) Find the equations for the x - and y - components of the position as functions of time. (Use the following as necessary: y_0 and t . Let the variable t be measured in seconds.)

$$x = \text{[] m}$$

$$y = \text{[] m}$$

(d) How far horizontally from the base of the building does the ball strike the ground?

$$\text{[] m}$$

(e) Find the height from which the ball was thrown.

$$\text{[] m}$$

(f) How long does it take the ball to reach a point 10.0 m below the level of launching?


$$\text{[] s}$$

2. Question Details


SerCP9 3.P.032.WI. [1631988]

A fireman $d = 60.0$ m away from a burning building directs a stream of water from a ground-level fire hose at an angle of $\theta_i = 34.0^\circ$ above the horizontal as shown in the figure. If the speed of the stream as it leaves the hose is $v_i = 40.0$ m/s, at what height will the stream of water strike the building?

$$\text{[] m}$$



A playground is on the flat roof of a city school, 4.6 m above the street below (see figure). The vertical wall of the building is $h = 6.10\text{ m}$ high, to form a 1.5-m -high railing around the playground. A ball has fallen to the street below, and a passerby returns it by launching it at an angle of $\theta = 53.0^\circ$ above the horizontal at a point $d = 24.0\text{ m}$ from the base of the building wall. The ball takes 2.20 s to reach a point vertically above the wall.



(a) Find the speed at which the ball was launched.

 m/s

(b) Find the vertical distance by which the ball clears the wall.

 m


(c) Find the horizontal distance from the wall to the point on the roof where the ball lands.

 m

A football punter accelerates a football from rest to a speed of 12 m/s during the time in which his toe is in contact with the ball (about 0.18 s). If the football has a mass of 0.50 kg , what average force does the punter exert on the ball?

 N

Two forces are applied to a car in an effort to move it, as shown in the following figure, where $F_1 = 412\text{ N}$ and $F_2 = 350\text{ N}$. (Assume up and to the right as positive directions.)



(a) What is the resultant of these two forces?

magnitude N

direction ° to the right of the forward direction

(b) If the car has a mass of $3,000\text{ kg}$, what acceleration does it have? Ignore friction.


 m/s^2

The force exerted by the wind on the sails of a sailboat is $F_{\text{sail}} = 310$ N north. The water exerts a force of $F_{\text{keel}} = 220$ N east. If the boat (including its crew) has a mass of 250 kg, what are the magnitude and direction of its acceleration?

magnitude m/s²

direction ° north of east

A block of mass $m = 6.0$ kg is pulled up a $\theta = 26^\circ$ incline as in the figure with a force of magnitude $F = 37$ N.




(a) Find the acceleration of the block if the incline is frictionless.

m/s²

(b) Find the acceleration of the block if the coefficient of kinetic friction between the block and incline is 0.11 .

m/s²

An object with mass $m_1 = 3.30$ kg, rests on a frictionless horizontal table and is connected to a cable that passes over a pulley and is then fastened to a hanging object with mass $m_2 = 11.0$ kg, as shown in the figure.



(a) Find the magnitude of the acceleration of each object.

$a_1 =$ m/s²

$a_2 =$ m/s²

(b) Find the tension in the cable.

N

A student decides to move a box of books into her dormitory room by pulling on a rope attached to the box. She pulls with a force of 174 N at an angle of 26.0° above the horizontal. The box has a mass of 24.0 kg, and the coefficient of kinetic friction between box and floor is 0.300.


(a) Find the acceleration of the box.

m/s²

(b) The student now starts moving the box up a 10.0° incline, keeping her 174 N force directed at 26.0° above the line of the incline. If the coefficient of friction is unchanged, what is the new acceleration of the box?

m/s², up the incline

Consider the figure below.



(a) What is the resultant force exerted by the two cables supporting the traffic light in the figure?

magnitude N

direction

(b) What is the weight of the light?

N